From: Ann DiDonato/R3/USEPA/US

**Sent:** 3/16/2012 3:56:06 PM

To: Richard Fetzer/R3/USEPA/US@EPA CC: Chase.Kelley@epamail.epa.gov

Subject: Re: spoke with Ex. 6 - Personal Privacy

I think the issue is that she has never received them and wonders what is up - who to contact.

---- Original Message ----- From: Richard Fetzer

Sent: 03/16/2012 03:48 PM EDT

To: Karl Markiewicz

Cc: Ann DiDonato; Dawn loven; Kelley Chase; kvm4@cdc.gov; Lora Werner; Robert Helverson;

carney.dennis@epa.gov; heston.gerald@epa.gov; Fran Burns

Subject: Re: spoke with Ex. 6 - Personal Privacy

Karl,

Thanks for your help today. It is very much appreciated.

The best way would be for to give us the PADEP and Cabot results, if she has them. We can check with PADEP and are generally sharing results between us, although no results have been actually shared yet. We are going to be sharing with PADEP beginning next week.

Sharing results between Cabot and EPA has not been set up for this yet.

thanks again!!

Rich

Richard M. Fetzer Federal On-Scene Coordinator 100 Gypsum Road Stroudsburg, PA 18360 (215) 341-6307

From: Karl Markiewicz/R3/USEPA/US

To: Ann DiDonato/R3/USEPA/US, Richard Fetzer/R3/USEPA/US, Kelley Chase/R3/USEPA/US, Dawn loven/R3/USEPA/US

Lora Werner/R3/USEPA/US@EPA, Robert Helverson/R3/USEPA/US@EPA, kvm4@cdc.gov

Date: 03/16/2012 02:41 PM Subject: spoke with Ex.S. Personal Privacy

All,

I just got off the phone with the ph

We discussed chromium, trigger levels, "U" qualified data, nitrogen, bacteria, and PAH results. I told her I plan to meet with her next week to discuss further and look at the wellhead. I also told her I'm waiting for "approved" travel orders and EPA's resident meeting schedule to be finalized before setting a time with her. I promised I would make sure to meet with her after morning childcare duties and before school's out (probably between 9:00-2:30).

She also asked if I could check with DEP (and maybe Cabot) about the status of her results. Do you have any updates from DEP and/or contact information?

DIM0070096 DIM0070096

Sincerely,

Karl

DIM0070096 DIM0070097